

### 参考論文

- Barton, N.H., Ethridge, A.M., and Strum, A.K. (2004): Coalescent in a random background. *Ann. Appl. Prob.* 14, 754-785.
- Begun, D.J., Betancourt, A.J., Langley, C.H., and Stephan, W. (1999): Is the fast/slow allozyme variation at the *adh* locus of *Drosophila melanogaster* an ancient balanced polymorphism? *Mol. Biol. Evol.* 16, 816-819.
- Blackwell, D. and J.B. MacQueen (1973): Ferguson Distribution via Polya Urn Schemes. *The Annals of Statistics* Vol. 1, No. 2, 353-355.
- Braverman, J.M., Hudson, R.R., Kaplan, N.L., Langley, C.H., and Stephan, W. (1995): The hitchhiking effect on the site frequency spectrum of DNA polymorphism. *Genetics* 140, 783-796.
- Cannings, C. (1974): The Latent Roots of Certain Markov Chains arising in Genetics: A New Approach, I. Haploid Models. *Adv. Appl. Prob.* 6, 260-290.
- Cannings, C. (1975): The Latent Roots of Certain Markov Chains arising in Genetics: A New Approach, II. Further Haploid Models. *Adv. Appl. Prob.* 7, 264-282.
- Connor, R.J. and J.E. Mosimann (1969): Concepts of Independence for Proportions with a Generalization of the Dirichlet Distribution. *Amer. Statist. Assoc. J.* 195-206.
- Crow, J.F. and Kimura, M. (1956): Some genetic problems in natural populations. *Proc. Third Berkeley Symp. Math. Stat. and Prob.* 4, 1-22.
- Crow, J.F. and Kimura, M. (1970): *An Introduction to Population Genetics Theory*. Harper & Row.
- Donnelly, P. (1984): The transient behavior of the Moran model in Population Genetics. *Math. Proc. Camb. Phil. Soc.* 95, 349-358.
- Donnelly, P. (1985): Dual processes and an invariance result for exchangeable model in population genetics. *J. Math. Biol.* 23, 103-118.
- Donnelly, P. (1986): Partition Structures, Polya Urns, the Ewens Sampling Formula and the Ages of Alleles. *Theor. Popul. Biol.* 30, 271-288.
- Donnelly, P. and Tavaré, S. (1986): The Ages of Alleles and a Coalescent. *Adv. Appl. Prob.* 18, 1-19.
- Donnelly, P. and Tavaré, S. (1987): The population genealogy of the infinitely-many Neutral alleles model. *J. Math. Biol.* 25, 381-391.
- Donnelly, P. and Tavaré, S. (1995): Coalescent and Genealogical structure under neutrality. *Ann. Rev. Genet.* 29, 401-421.
- Ethier, S.N. (1976): A Class of Degenerate Diffusion Processes Occurring in Population Genetics. *Comm. Pure and Applied Math.* Vol. xxix 483-493.
- Ethier, S.N. and Griffiths, R.C. (1987): The infinitely-many-sites model as a

- measure-valued diffusion. *Ann. Probab.* 15, 515-545.
- Ethier, S.N. and Griffiths, R. C. (1990): On the two-locus sampling distribution. *J. Math. Biol.* 29, 131-159.
- Ethier, S.N. and Kurtz, T.G. (1993): FLEMIN. G-VIOT PROCESSES IN POPULATION GENETICS. *SIAM J. CONTROL AND OPTIMIZATION* Vo.31, No2, 345-386.
- Ewens, W.J. (1972): The Sampling theory of selectively neutral alleles. *Theor. Popul. Biol.* 3, 87-112.
- Fay, J.C. and Wu, C.-I. (2000): Hitchhiking under positive Darwinian selection. *Genetics* 155, 1405-1413.
- Feller, W.: *An Introduction to Probability Theory and Its Application. Vol II*  
John Wiley & Sons.
- Felsenstein, J. (1971): The Rate of Loss of Multiple Alleles in Finite Populations. *Theor. Popul. Biol.* 2, 391-403.
- Ferguson, T.S. (1973): A Bayesian analysis of some nonparametric problems. *The Annals of Statistics* 209-230.
- Fisher, R.A. (1930): *The General Theory of Natural Selection.* Clarendon Press, Oxford.
- Fu, Y.X. (1995): Statistical Properties of Segregating Sites. *Theor. Popul. Biol.* 48, 172-197.
- Fu, Y.X. (1996): Estimating the Age of the Common Ancestor of a DNA Sample Using the Number of Segregating Sites. *Genetics* 144, 829-838.
- Fu, Y.X. (1997): Statistical Tests of Neutrality of Mutations Against Population Growth, Hitchhiking and Background Selection. *Genetics* 147, 915-925.
- Fu, Y.X. (1998): Probability of a Segregating Pattern in a Sample of DNA Sequences. *Theor. Popul. Biol.* 54, 1-10.
- Fu, Y.X. and Li, W.H. (1993a): Statistical Tests of Neutrality of Mutations. *Genetics* 133, 693-709.
- Fu, Y.X. and Li, W.H. (1993b): Maximum Likelihood Estimation of Population Parameters. *Genetics* 134, 1261-1270.
- Gladstien, K. (1976): Loss of Alleles in a Haploid Population with Varying Environment. *Theor. Popul. Biol.* 10, 383-394.
- Gladstien, K. (1977a): Subdivided Populations: The Characteristic Values and Rate of Loss of Alleles. *J. Appl. Prob.* 14, 241-248.
- Gladstien, K. (1977b): Haploid populations subject to varying environment: The characteristic values and the rate of loss of alleles. *SIAM J. Appl. Math.* Vol.32 No4, 778-783.
- Gladstien, K. (1978): The characteristic values and vectors for a class of stochastic

- matrices arising in genetics. *SIAM J. APPL. MATH.* Vol.34, N04, 630-642.
- Goldberg,S.(1950): On a Singular Diffusion Equation. Ph.D. Thesis. Cornell University.
- Griffiths, R.C. (1979a):Exact sampling distributions from the infinite neutral alleles  
Model. *Adv. Appl. Prob.* 11, 326-354.
- Griffiths, R.C.(1979b): A Transition Density Expansion for a Multi-allele Diffusion  
Model. *Adv. Appl. Prob.* 11, 310-325.
- Griffiths, R.C.(1980): Lines of Descent in the Diffusion Approximation of Neutral  
Wright-Fisher Models. *Theor. Popul. Biol.* 17, 37-50.
- Griffiths,R.C.(1981): Transient Distribution of the Number of Segregating sites in a  
Neutral Infinite-sites model with no Recombination. *J.Appl.Prob.* 18, 42-51.
- Griffiths,R.C.(1982):The Number of Alleles and segregating sites in a sample from the  
Infinite-Alleles Model. *Adv.Appl.Prob.* 14, 225-239.
- Griffiths,R.C.(1987): Counting genealogical trees. *J.Math.Biol.* 25, 423-431.
- Griffiths,R.C. and Tavare,S.(1998): The age of a mutation in a general coalescent tree.  
*Commun. Statist.- Stochastic Models* 14, 273-295.
- Griffiths,R.C. and Lessard,S.(2005): Ewens' sampling formula and related formulae:  
Combinatorial proofs extensions to variable population size, and applications to ages  
Of alleles. *Theoret. Popul. Biol.* 68, 167-177.
- Handa,K.(1990): A measure-valued diffusion process describing the stepping stone  
model with infinitely many alleles. *Stoch. Proc. and their Appl.* 36, 269-296.
- Herbots,H.M.(1994): Stochastic models in population genetics: genealogical and genetic  
Differentiation in structured populations. Phd diss. Univ. of London.
- Herbots,H.M.(1977): The structured coalescent. In: Donnelly,P.,Tavare,S.(Eds), *Progress  
In Population Genetics and Human Evolution.* Springer, New York. 231-255.
- Hey,J.(1991): A multi-dimensional coalescent process applied to multi-allelic selection  
Models and migration models. *Theor. Pop. Biol.* 39, 30-48.
- Hoppe,F.M.(1984): Polya-like urns and the Ewens' sampling formula. *J. Math. Biol.*  
20, 91-94.
- Hoppe,F.M.(1986): Size-biased Filtering of Poisson-Dirichlet samples with an  
Application to Partition Structures in Genetics. *J. Appl. Prob.* 23, 1008-1012.
- Hoppe,F.M.(1987):The sampling theory of neutral alleles and an urn model in  
population genetics. *J. Math. Biol.* 25, 123-159.
- Hösjer, O.(2011): Coalescence theory for a general class of structured populations with  
fast migration. *Adv. Appl. Prob.* 43, 1027-1047.
- Hudson,R.R.(1983a): Properties of a neutral allele model with intragenic recombination.  
*Theor. Popul. Biol.* 23, 183-201.

- Hudson,R.R.(1983b): Testing the constant-rate neutral model with protein sequence data. *Evolution* 37, 203-217.
- Hudson,R.R.(1987): Estimating the recombination parameter of a finite population model without selection. *Genet. Res. Camb.* 50, 245-250.
- Hudson,R.R. and Kaplan,N.L.(1985): Statistical properties of the number of recombination events in the history of a sample of DNA sequences. *Genetics* 111, 147-164.
- Hudson,R.R., Kreitman,M. and Aquade,M.(1987): A test of neutral molecular evolution Based on nucleotide data. *Genetics* 116, 153-159.
- Hudson,R.R. and Kaplan,N.L.(1988): The coalescent process in models with selection And recombination. *Genetics* 120, 831-840.
- Hudson,R.R.(1990): Gene genealogy and the coalescent process. In: Futuyama,D., Antonovics,J.(Eds). *Oxford Surveys in Evolutionary Biology*, Vol.7. Oxford Univ. Press. 1-44.
- Kaj,I., Krone,S.M., and Lascoux,M.(2001): Coalescent Theory for Seed Bank Models. *J. Appl. Prob.* 38, 285-300.
- Kaplan,N.L. and Hudson,R.R.(1985): The use of sample genealogies for studying a selectively neutral M-loci model with recombination. *Theor. Popul.Biol.* 28, 382-396.
- Kaplan,N.L., Darden,T. and Hudson,R.R.(1988): The coalescent process in models with Selection. *Genetics* 120, 819-829.
- Kaplan,N.L., Hudson,R.R. and Langley,C.H.(1989): The 'hitchhiking effect' revisited. *Genetics* 123, 887-899.
- Kaplan,N.L., Hudson,R.R., and Iizuka,M.(1991): Coalescent processes in models with Selection, recombination, and geographic subdivision. *Genet.Res., Camb.* 57, 83-91.
- Karlin,S. and McGregor,J.(1962): On a Genetics Model of Moran. *Proc. Camb. Phil. Soc.* 58, 299-311.
- Karlin,S. and McGregor,J.(1964): Direct product branching processes and related Markov chains. *Proc. Nat. Acad. Sci.* 51, 598-602.
- Karlin,S. and McGregor,J.(1972): Addendum to a paper of W.Ewens. *Theor. Popul. Biol.* 3, 113-116.
- Kelly,F.P.(1977):Exact results for the Moran Neutral Allelic Model. *Adv. Appl. Prob.* 9, 197-201.
- Kesten,H.(1980): The number of Distinguishable Alleles According to the Ohta-Kimura Model of Neutral Mutation. *J.Math.Biol.* 10, 167=187.
- Kimura,M.(1953):"Stepping Stone" Model of Population. *Ann. Rept. Nat. Inst.*

- Genetics, Japan 3, 62-63.
- Kimura, M. (1954): Process leading to quasi-fixation of genes in natural populations due to random fluctuation of selection intensities. *Genetics* 39, 280-295.
- Kimura, M. (1955a): Solution of a process of random genetic drift with a continuous model. *Proc. Nat. Acad. Sci.* 41, 144-150.
- Kimura, M. (1955b): Random Genetic Drift in a Tri-Allelic Locus Exact Solution with a Continuous Model. *Biometrics* 12, 57-66.
- Kimura, M. (1957): Some problems of stochastic processes in genetics. *Ann. Math. Statist.* 28, 882-901.
- Kimura, M. (1962): On the Probability of Fixation of Mutant Genes in a Population. *Genetics* 47(6), 713-719.
- Kimura, M. (1970): The length of time required for a selectively neutral mutant to reach fixation through random frequency drift in a finite population. *Genet. Res. Camb.* 15, 131-133.
- Kimura, M. and Weiss, G.H. (1964): The stepping stone model of population structure and the decrease of genetic correlation with distance. *Genetics* 49(4), 561-576.
- Kimura, M. and Ohta, T. (1969a): The Average number of generations until extinction of an individual mutant gene in a finite population. *Genetics* 63, 701-709.
- Kimura, M. and Ohta, T. (1969b): The Average Number of Generations until Fixation of a Mutant Gene in a Finite Population. *Genetics* 61, 763-771.
- Kimura, M. and Maruyama, T. (1971): Pattern of Neutral Polymorphism in a geographically structured population. *Genet. Res. Camb.* 18, 125-131.
- Kimura, M. and Ohta, T. (1973): The Age of a Neutral Mutant persisting in a Finite Population. *Genetics* 75, 199-212.
- Kimura, M. and Ohta, T. (1974): Probability of Fixation in an Expanding Finite Population. *Proc. Nat. Acad. Sci. USA* Vol. 71, No. 9, 3377-3379.
- Kingman, J.F.C. (1975a): Random Discrete Distributions. *J. Roy. Statist. Soc. B* 37, 1-22.
- Kingman, J.F.C. (1975b): The First birth problem for an age-dependent branching process. *The Annals of Prob.* Vol. 3, No. 5, 790-801.
- Kingman, J.F.C. (1976): Coherent random walks arising in some genetical models. *Proc. R. Soc. Lond. A* 351, 19-31.
- Kingman, J.F.C. (1977a): A Note on Multidimensional Models of Neutral Mutation. *Theor. Popul. Biol.* 11, 285-290.
- Kingman, J.F.C. (1977b): The Population Structure Associated with the Ewens Sampling Formula. *Theor. Popul. Biol.* 11, 273-283.
- Kingman, J.F.C. (1978a): Uses of Exchangeability. *The Annals of Prob.* Vol. 6, No. 2

- 183-197.
- Kingman, J.F.C.(1978b): The Representation of Partition Structures. *J. London Math. Soc. (2)*, 18, 374-380.
- Kingman, J.F.C.(1978c): Random Partition in Population Genetics. *Proc. R. Soc. Lond. A* 361, 1-20.
- Kingman, J.F.C.(1982a): On the genealogy of large populations. *J. Appl. Prob.* 19A, 27-43.
- Kingman, J.F.C.(1982b): The Coalescent. *Stoch. Proc. and their Appl.* 13, 235-248.
- Kingman, J.F.C.(1982c): Exchangeability and the Evolution of Large Population. In "Exchangeability in Probability and Statistics" G.Koch and F. Spizzichino, (North-Holland Pub. Comp.) p97-p112.
- Kozakai, R., Shimizu, A. and Notohara, M.(2016): Convergence to the Structured Coalescent Process. *J. Appl. Prob.* Vol.53(2), 502-517.
- Krone, S.M. and Neuhauser, C.(1997): Ancestral Processes with Selection. *Theor. Popul. Biol.* 51, 210-237.
- Li, W.H. and Nei, M.(1977): Persistence of Common Alleles in Two Related Populations or Species. *Genetics* 86, 901-914.
- Littler, R.A.(1975): Loss of Variability at One Locus in a Finite Population. *Math. Biosci.* 25, 151-163.
- Littler, R.A. and Fackerell, E.D.(1975): Transition Densities for Neutral Multi-Allele Diffusion Models. *Biometrics* 31, 117-123.
- Lukacs, E.(1955): A Characterization of the Gamma Distribution. *The Annals of Mathematical Statistics* Vol.26, No.2, 319-324.
- Malecot, G.(1967): Identical Loci and Relationship. *Proc. Fifth Berkeley Symp. Math. Prob.* 4, 317-332.
- Malecot, G.(1975): Heterozygosity and Relationship in Regularly Subdivided Populations. *Theor. Popul. Biol.* 8, 212-241.
- Maruyama, T.(1970a): On the fixation probability of mutant genes in a subdivided population. *Genet. Res.* 15, 221-225.
- Maruyama, T.(1970b): Stepping stone models of Finite length. *Adv. Appl. Prob.* 2, 229-258.
- Maruyama, T. (1970c): Effective Number of Alleles in a Subdivided Population. *Theor. Popul. Biol.* 1, 273-306.
- Maruyama, T.(1970d). On the Rate of Decrease of Heterozygosity in Circular Stepping Stone Models of Populations. *Theor. Popul. Biol.* Vol.1, No1, 101-119.
- Maruyama, T.(1971a): Speed of Gene Substitution in a Geographically Structured

- Population. *The American Naturalist*. Vol.105, No.943, 253-265.
- Maruyama,T.(1971b): An invariant property of a structured population. *Genet. Res. Camb.* 18, 81-84.
- Maruyama,T.(1972): The average number and the variance of generations at particular gene frequency in the course of fixation of a mutant gene in a finite population. *Genet. Res. Camb.* 19, 109-113.
- Maruyama,T.(1974a): The Age of a Rare Mutant Gene in a Large Population. *The Amer. J. of Hum. Genetics.* Vol. 26, No.6, 669-673.
- Maruyama,T.(1974b): The Age of an allele in a finite population.
- Maruyama,T. and Kimura,M.(1975): Moments for Sum of an Arbitrary Function of Gene Frequency along a Stochastic Path of Gene Frequency Change. *Proc. Nat. Acad. Sci. USA* Vol. 72, No.4, 1602-1604.
- Möhle,M.(1994): Forward and Backward Processes in Bisexual Models with fixed Population sizes. *J. Appl.Prob.* 31, 309-332.
- Möhle,M.(1998a): Robustness results for the coalescent. *J. Appl. Prob.* 35, 438-447.
- Möhle,M.(1998b): A convergence theorem for Markov chains arising in population Genetics and the coalescent with selfing. *Adv. Appl. Prob.* 30, 493-512.
- Möhle,M.(1998c): Coalescent results for two-sex population models. *Adv. Appl. Prob.* 30, 513-520.
- Möhle,M.(2002): The coalescent in population models with time-inhomogeneous environment. *Stoch. Proc. and their Appl.* 97, 199-227.
- Möhle,M. and Sagitov,S.(1999): A classification of coalescent processes for haploid Exchangeable population models. *The Annals of Prob.* 29(4), 1547-1562.
- Möhle,M. and Sagitov,S.(2003): Coalescent patterns in diploid exchangeable population models. *J. Math. Biol.* 47, 337-352.
- Möhle,M. and Notohara,M.(2016): An extension of a convergence theorem for Markov chains arising in Population Genetics. *J. Appl. Prob.* 53 (3), 953-956.
- Moran,P.A.P.(1958): *Random Processes in Genetics.* *Proc. Camb. Phil. Soc.* 54, 60-72.
- Moran,P.A.P.(1962): *Statistical Processes of Evolutionary Theory,* Clarendon Press, Oxford.
- Moran, P.A.P.(1975): Wandering Distributions and the Electrophoretic Profile. *Theor.Popul.Biol.* 8, 318-330.
- Moran,P.A.P.(1976): Wandering Distributions and the Electrophoretic Profile II. *Theor.Popul.Biol.* 10, 145-149.
- Misimann,J.E.(1962): On the compound multinomial distribution, the multivariate  $\beta$ -distribution, and correlations among proportions. *Biometrika* 49, 65-82.

- Nagylaki,T.(1974a): the Decay of Genetic Variability in Geographically Structured Populations. Proc. Nat. Acad. Sci. USA Vol. 71, No.8, 2932-2936.
- Nagylaki,T.(1974b): The Moments of Stochastic Integrals and the Distribution of Sojourn Times, Proc. Nat. Acad. Sci. USA Vol. 71, No.3, 746-749.
- Nagylaki,T.(1974c): Genetic Structure of a Population occupying a Circular Habitat. Genetics 78, 777-790.
- Nagylaki,T.(1976): The relation between Distant Individuals in Geographically Structured Populations. Math Biosci. 28, 73-80.
- Nagylaki,T.(1977): Decay of genetic variability in geographically structured populations. Proc. Nat. Acad. Sci. USA Vol. 74, No.6, 2523-2525.
- Nagylaki,T.(1978): A Diffusion Model for Geographically Structured Populations. J. Math. Biol. 6, 375-382.
- Nagylaki,T.(1979): The island Model with Stochastic Migration. Genetics 91, 163-176.
- Nagylaki,T.(1980): The Strong-Migration Limit in Geographically Structured Populations. J. Math. Biol. 9, 101-114.
- Nagylaki,T.(1982): Geographical Invariance in Population Genetics. J. Theor. Popul. 99, 159-172.
- Nagylaki,T.(1983): The Robustness of Neutral Models of Geographical Variation. Theor.Popul.Biol. Vol. 24, No3, 268-294.
- Nagylaki,T.(1985): Homozygosity, effective number of alleles and inter-deme differentiation in subdivided populations. Proc. Nat. Acad. Sci. USA Vol. 82, 8611-8613.
- Nagylaki,T.(1986): Neutral models of geographical variation. Stochastic Spatial Processes, Lecture Notes in Mathematics. No.1212 Springer-Verlag, 216-237.
- Nagylaki,T.(1988): The Inference of Spatial Inhomogeneities on Neutral Models of Geographical Variation, I Formulation. Theor. Popul. Biol. Vol.33, No.3, 291-310.
- Nagylaki,T. and Barcion,V. (1988): The Influence of Spatial Inhomogeneities on Natural Models of Geographic Variation, II The semi-infinite linear habitat. Theor. Popul. Biol. Vol. 33, No.3, 311-343.
- Nagylaki,T.(1998): The expected number of heterozygous sites in a subdivided population. Genetics 149, 1599-1604.
- Nagylaki,T.(2000): Geographical invariance and the strong-migration limit in subdivided populations. J. Math. Biol. 41, 123-142.
- Nagylaki,T.(2002): When and where was the most recent common ancestor. J. Math. Biol. 44, 253-275.
- Narain,P.(1970): A Note on the diffusion approximation for the variance of the number



- of generations until fixation of a neutral mutant gene.  
Genet. Res. Camb. 15, 251-255.
- Narain, P. and Pollak, E. (1977): On the fixation probability of a gene under random fluctuations in selection intensities in small populations. Genet. Res. Camb. 29, 113-121.
- Nei, M. and Takahata, N. (1993): Effective Population Size, Genetic Diversity, and Coalescence Time in Subdivided Populations. J. Mol. Evol. 37, 240-244.
- Neuhauser, C. (1999): The Ancestral Graph and Gene Genealogy under Frequency-Dependent Selection. Theor. Popul. Biol. 56, 203-214.
- Neuhauser, C. and Krone, S.M. (1997): The Genealogy of Samples in Models With Selection. Genetics 145, 519-534.
- Nordborg, M. (1997): Structured Coalescent Processes on Different Time Scales. Genetics 146, 1501-1514.
- Nordborg, M. and Donnelly, P. (1997): The Coalescent Process With Selfing. Genetics 146, 1185-1195.
- Nordborg, M. (1999): The coalescent with partial selfing and balancing selection: An application of structured coalescent processes. In Statistics in Molecular Biology. IMS Lecture Notes Vol. 33.
- Nordborg, M. (2000): Linkage Disequilibrium, Gene Trees and Selfing: An Ancestral Recombination Graph With Partial Self-Fertilization. Genetics 154, 923-929.
- Nordborg, M., Charlesworth, B. and Charlesworth, D. (1996): The effect of recombination On background selection.
- Nordborg, M. and Krone, S.M. (2002): Separation of time scales and convergence to the coalescent in structured populations. In Modern Developments in Theoretical Population Genetics. : The Legacy of Gustave Malecot (M. Slatkin and M. Veuille, eds) 194-232, Oxford Univ. Press, Oxford, UK.
- Notohara, M., Ishii, K. and Matsuda, H. (1978): Use of Orthogonal transformation in Population Genetics Theory. J. Math. Biol. 6, 249-263.
- Notohara, M. and Shiga, T. (1980): Convergence to genetically uniform state in stepping stone models of population genetics. J. Math. Biol. 10, 281-294.
- Notohara, M. (1982): The Lattice Models of Neutral Multi-Alleles in population Genetics Theory. J. Math. Biol. 15, 79-92.
- Notohara, M. (1990): The Coalescent and the genealogical process in geographically structured population. J. Math. Biol. 29, 59-75.
- Notohara, M. (1993a): The strong migration limit for the genealogical process in geographically structured population. J. Math. Biol. 31, 115-122.

- Notohara,M.(1993b):The genealogical process of neutral genes with mutation in geographically structured populations. *J. Math. Biol.* 31, 123-132.
- Notohara,M.(1997): The number of segregating sites in a sample of DNA sequences from a geographically structured population. *J. Math. Biol.* 36, 188-200.
- Notohara,M.(2000): A perturbation method for the structured coalescent with strong migration. *J. Appl. Prob.* 37, 148-167.
- Notohara,M.(2001): The structured Coalescent process with weak migration. *J. Appl. Prob.* 38, 1-17.
- Notohara,M.(2006): The coalescence time of sampled genes in the structured coalescent model. *Theor. Popul. Biol.* 70, 289-299.
- Notohara,M.(2010): An application of the central limit theorem to coalescence times in the structured coalescent model with strong migration. *J.Math.Biol.* 61, 695-714.
- Ohta,T.(1972): Fixation probability of a mutant influenced by random fluctuation of selection intensity. *Genet. Res. Camb.* 19, 33-38.
- Ohta,T. and kimura,M.(1972): Fixation time of overdominant alleles influenced by random fluctuation of selection intensity. *Genet. Res. Camb.* 20, 1-7.
- Ohta,T. and kimura,M.(1973): A model of mutation appropriate to estimate the number of electrophoretically detectable alleles in a finite population. *Genet. Res. Camb.* 22, 201-204.
- Padmadasastra,S.(1987): The Genetic Divergence of Three Populations. *Theor. Popul. Biol.* 32, 347-365.
- Patil,G.P. and Taillie,C.(1977): Diversity as a concept and its implications for random communities. *Bulletin of the International Stochastic Institute* 47, 497-515.
- Perlow,J.(1979): The transition density for Multiple Neutral Alleles. *Theor. Popul. Biol.* 16, 223-232.
- Pitman,J.(1999): Coalescents with multiple collisions. *The Annals of Probability* Vol. 27, No4, 1870-1902.
- Pollak,E. and Arnold,B.(1975): On sojourn times at particular gene frequencies. *Genet. Res. Camb.* 25, 89-94.
- Przeworski,M.(2002): The signature of positive selection at randomly chosen loci. *Genetics* 160, 1179-1189.
- Sagitov,S.(1999): The general coalescent with asynchronous mergers of ancestral lines. *J. Appl. Prob.* 36, 1116-1125.
- Sampson,K.(2006): Structured Coalescent with Non-conservative Migration. *J. Appl.Prob.* 43, 351-362.
- Sano,A., Shimizu,A.,Iizuka,M.(2004): Coalescent process with fluctuating population

- size and its effective size. *Theor. Popul. Biol.* 65, 39-48.
- Sato,K.(1976a): Diffusion Processes and a Class of Markov Chains related to Population Genetics. *Osaka J. Math.* 13, 631-659.
- Sato,K.(1976b): A Class of markov Chains related to selection in Population Genetics. *J. Math. Soc. Japan* Vol.28, No4, 621-637.
- Sato,K.(1978): Convergence to a Diffusion of a Multi-Allelic Model in Population Genetics. *Adv. Appl. Prob.* 10, 538-562.
- Sato,K.(1983): Limit diffusions of some stepping-stone models. *J. Appl. Prob.* 20, 460-471.
- Saunders,I.W., Tavaré,S. and Watterson,G.A.(1984): On the Genealogy of Nested Subsamples from a Haploid Population. *Adv. Appl. Prob.* 16, 471-491.
- Sawyer,S.(1976a): Branching Diffusion Process in Population Genetics. *Adv. Appl. Prob.* 8, 659-689.
- Sawyer,S.(1976b): Results for the stepping stone model for migration in Population Genetics. *The Annals of Probability* Vol.4, No5, 699-728.
- Sawyer,S.(1977a): On the past history of an allele now known to have frequency  $p$ . *J. Appl. Prob.* 14, 439-450.
- Sawyer,S.(1977b): Rates of Consolidation in a selectively neutral migration model. *The Annals of Prob.* Vol.5, No3, 486-493.
- Sawyer,S.(1977c): Asymptotic properties of the equilibrium probability of identity in a geographically structured population. *Adv. Appl. Prob.* 9, 268-282.
- Sawyer,S.(1979): A limit theorem for patch sizes in a selectively-neutral migration model. *J. Appl. Prob.* 16, 482-495.
- Sawyer,S. and Fleischman,J.(1979): Maximum geographic range of a mutant allele Considered as a subtype of a Brownian branching random fields. *Proc.Natl.Acad.Sci.USA* Vol.76, No2, 872-875.
- Shiga,T.(1980): An interacting system in population genetics. *J. Math. Kyoto Univ.* 20, 212-242, 723-733.
- Shiga,T.(1981): Diffusion processes in population genetics. *J. Math. Kyoto Univ.* Vol.21, No1, 133-151.
- Shiga,T.(1982a): Wandering phenomena in infinite-allelic diffusion models. *Adv. Appl. Prob.* Vol. 14, No3, 457-483.
- Shiga,T. and Shimizu,A.(1980): Infinite dimensional stochastic differential equations and their applications. *J. Math. Kyoto Univ.* 20, 385-416.
- Sjodin,P., Kaj,I., Krone,S., Lascoux,M. and Nordborg,M.(2005): On the Meaning and Existence of an Effective Population Size. *Genetics* 169, 1061-1070.

- Shimakura,N.(1977): Equations Differentielles Provenant de la Genetique des Populations. *Tohoku Math. J.* 29, 287-318.
- Shimakura,N.(1985): Existence and uniqueness of solutions for a diffusion model of Intergroup selection. *J. Math. Kyoto Univ.* Vol.25, No4, 775-788.
- Simonsen,K.L., Churchill,G.A., and Aquadro,C.F.(1995): Properties of statistical tests of Neutrality for DNA polymorphism data. *Genetics* 141, 413-429.
- Tajima,F.(1983): Evolutionary relationship of DNA sequences in Finite Populations. *Genetics* 105, 437-460.
- Tajima,F.(1989a): DNA Polymorphism in a Subdivided Population: The Expected Number of Segregating Sites in the Two-Subpopulation Model. *Genetics* 123, 229-240.
- Tajima,F.(1989b): The Effect of Change in Population Size on DNA Polymorphism. *Genetics* 123, 597-601.
- Tajima,F.(1989c): Statistical Method for Testing the Neutral Mutation Hypothesis by DNA Polymorphism. *Genetics* 123, 585-595.
- Takahata,N. Ishii,K and Matsuda,H.(1975): Effect of temporal fluctuation of selection Coefficient on gene frequency in a population. *Proc.Nat.Acad.sci.USA* 72, 4541-4545.
- Takahata,N.(1988): The coalescent in two partially isolated diffusion populations. *Genet. Res.* 52, 213-222.
- Takahata,N.(1990): A simple genealogical structure of strongly balanced allelic lines And trans-species evolution of polymorphism. *Proc.Natl.Acad.Sci.USA* Vol.87, 2419-2423.
- Takahata,N. and Nei,M.(1985): Gene Genealogy and Variance of Interpopulational Nucleotide Differences. *Genetics* 110, 325-344.
- Takahata,N. and Nei,M.(1990): Allelic Genealogy Under Overdominant and Frequency-Dependent Selection and Polymorphism of Major Histocompatibility Complex Loci. *Genetics* 124, 967-978.
- Tavare,S.(1984): Line-of-descent and genealogical processes, and their applications in Population genetics models. *Theor. Popul. Biol.* 26, 119-164.
- Tavare,S.(1987): The birth process with immigration and the genealogical structure of large populations. *J. Math. Biol.* 25, 161-168.
- Tavare,S., Balding,D.J., Griffiths,R.C. and Donnelly,P.(1997): Inferring coalescence times for molecular sequence data. *Genetics*, 145, 505-518.
- Watterson,G.A.(1974): The sampling Theory of selectively Neutral Alleles. *Adv. Appl. Prob.* 6, 463-488.
- Watterson,G.A.(1975): On the number of segregating sites in genetical models without

- Recombination. *Theor. Popul. Biol.* 7, 256-276.
- Watterson, G.A. (1976a): The stationary distribution of the infinitely-many neutral alleles diffusion model. *J. Appl. Prob.* 13, 639-651.
- Watterson, G.A. (1976b): Reversibility and the age of an allele 1. Moran's infinitely many neutral alleles model, *Theor. Popul. Biol.* 10, 239-253.
- Watterson, G.A. (1977): Heterosis or Neutrality. *Genetics* 85, 789-814.
- Watterson, G.A. (1978): The Homozygosity test of Neutrality. *Genetics* 88, 405-417.
- Watterson, G.A. (1979): Estimating and Testing selection: The Two-Alleles, Genetic Selection Diffusion Model. *Adv. Appl. Prob.* 11, 14-30.
- Watterson, G.A. (1982): Mutant substitutions at linked nucleotide sites. *Adv. Appl. Prob.* 14, 206-224.
- Watterson, G.A. (1984): Lines of Descent and the Coalescent. *Theor. Popul. Biol.* 26, 77-92.
- Watterson, G.A. (1985): The Genetic Divergence of Two Populations. *Theor. Popul. Biol.* 27, 298-317.
- Watterson, G.A. (1989a): Allele Frequencies in Multigene Families I. Diffusion Equation Approach. *Theor. Popul. Biol.* Vol.35, No2, 142-160.
- Watterson, G.A. (1989b): Allele Frequencies in Multigene Families II. Coalescent Approach. *Theor. Popul. Biol.* Vol.35, No2, 161-180.
- Watterson, G.A. and Guess, H.A. (1977): Is the Most Frequent Allele the Oldest. *Theor. Popul. Biol.* 11, 141-160.
- Weiss, G.H. and Kimura, M. (1965): A mathematical analysis of the stepping stone model of genetic correlation. *J. Appl. Prob.* 2, 129-149.
- Wilkinson-Herbots, H.M. (1998): Genealogy and subpopulation differentiation under various models of population structure. *J. Math. Biol.* 37, 535-585.
- Wiuf, C. and Donnelly, P. (1999): Conditional genealogies and the age of a neutral mutant. *Theor. Popul. Biol.* 56(2), 183-201.
- Wright, S. (1931): Evolution in Mendelian populations. *Genetics* 16, 97-159.

### 参考図書

#### 集団遺伝学理論の参考図書

集団遺伝学の理論関係の書籍は多くはないが、以下のような図書がある。ただし、絶版のものも含まれている。

Maruyama, T. (1977): *Stochastic Problems in Population Genetics*.

Lecture Notes in Biomathematics 17.

Crow, J.F. and Kimura, M. (1970): *An Introduction to Population Genetics Theory*.

Harper & Row.

Kimura, M. (1983): *The neutral theory of molecular evolution*. Cambridge Univ. Press

(邦訳) 木村資生(1986) : 「分子進化の中立説」 紀伊国屋書店

Donnelly, P. and Tavaré, S. (1997): *Progress in Population Genetics and Human Evolution*. Springer-Verlag.

Hartl, D. L. and Clark, A. G. (1997): *Principles of Population Genetics*. Sinauer.

Durrett, R. (2008): *Probability Models for DNA Sequence Evolution*.

Second edition, Springer.

Slatkin, M. and Veuille, M. (Eds) (2002): *Modern Development in Theoretical population Genetics*. Oxford Univ. Press.

Balding, D. J., Bishop, M. and Cannings, C. (Eds) (2003): *Handbook of Statistical Genetics*. Second Edition Volume 1, Volume 2. Wiley.

Tavaré, S. (2004): *Ancestral Inference in Population Genetics*. In *Lectures on Probability Theory and Statistics*. Springer-Verlag Berlin and Heidelberg.

Hein, J., Schierup, M. H. and Wiuf, C. (2005): *Gene Genealogies, Variation and Evolution*. Oxford Univ. Press.

Wakeley, J. (2009): *Coalescent Theory: An Introduction*. Harvard University.

Feng, S. (2010): *The Poisson-Dirichlet Distribution and Related Topics*. Springer

## 数学の参考図書

確率論、マルコフ過程に関する書籍は多く出版されているが、参考にした図書、関連のある図書は以下の通りである。

Feller, W. (1971): *An Introduction to Probability Theory and Its Applications*.

John Wiley & Sons, Inc.

Karlin, S. (1969): *A First Course in Stochastic Processes*. Academic Press.

S. カーリン (1976). : 「確率過程講義」 産業図書

Karlin, S. and Taylor, H. M. (1981): *A second course in stochastic processes*.

Academic Press.

国田寛 (1976): 「確率過程の推定」 (数理解析とその周辺 14) 産業図書.

Spitzer, F. (1976): *Principles of Random Walk*. Springer-Verlag.

羽鳥裕久、森俊夫 (1982): 「有限マルコフ連鎖」 培風館

Liggett, T. M. (1985): *Interacting Particle Systems*. Springer-Verlag.

志賀徳造 (2000): 「ルベーグ積分から確率論」 (共立講座 21世紀の数学 10) 共立出版

Billingsley, P. (1968): *Convergence of Probability Measures*. John Wiley & Sons,

New York

リチャード・スタンレイ (1990): 「数え上げ組み合わせ論 I」. 日本評論社